

PROVINCIAL SEED SURVEY



SASKBARLEY.COM

2023 Provincial Seed Survey

Each year, the Saskatchewan pulse and cereal commissions partner with commercial seed testing laboratories to complete an annual survey of seed-borne pathogens measured on seeds grown in Saskatchewan during the previous season. All labs that offer seed testing services to Saskatchewan growers are invited to participate in the annual survey with anonymous reporting of results amalgamated by crop district from all participating labs.

Interim seed quality data, collected from the time of harvest to the end of December, are summarized and communicated to growers, agronomists, researchers, and industry during the winter months, ahead of the next crop season. These interim results provide insights into seed quality trends and identify potential hotspots for seed-borne pathogens across the province. A final summary of results, including data from seed samples analyzed after the interim results, is reported at the end of May. This final summary is submitted for publication in the Canadian Phytopathological Society <u>Canadian Plant Disease Surveys</u>. This publication of the provincial survey provides a record of seed-borne pathogen trends in pulse and cereal crops and allows for continued tracking of diseases over time.

This document is intended to summarize the results to provide trends in the province and crop districts. These results should not be used in the absence of testing and extra caution should be used when interpreting results with very few samples. Sample size is indicated for each crop district on the maps.



Thank You to our 2023 Interim Results Lab Partners

Nisku, Alberta

Phone: 1.877.420.1810

www.2020seedlabs.ca





Saskatoon, Saskatchewan 450 Melville Street Saskatoon, SK S7J 4M2 Phone: 1.306.249.4484 www.seedtesting.com

1- 507-11 Avenue Nisku, AB T9E 7N5



Weyburn, Saskatchewan 1105 Railway Ave, Weyburn, SK S4H 3H5 Phone: 1.306.842.7375 www.pdsl.net

The provincial seed survey would not be possible without the participation of 20/20 Seed Labs Inc., Discovery Seed Labs, and Prairie Diagnostic Seed Labs. Lendon Seed Labs also participates in the survey but shares final results only.

Thank you to all lab partners for their continued effort and support of this project. Brian Olson, independent contractor, is also gratefully acknowledged for his coordination of the seed quality survey and summarization of results.

A special thanks is also extended to Dr. Randy Kutcher and Dr. Sabine Banniza from the University of Saskatchewan for their external review and pathology expertise.

External review efforts of Dr. Alireza Akhavan, Provincial Plant Disease Specialist and Dale Risula, Provincial Pulses, Forages, and Specialty Crops Specialist, of the Saskatchewan Ministry of Agriculture (SMA) are also recognized with an extra note of appreciation to Dr. Alireza Akhavan and the SMA Geomatics team for creating the seed-borne pathogen maps by crop district.









2023 PROVINCIAL SEED SURVEY



Percent germination levels were documented during the 2023 provincial seed survey with interim results showing a slight improvement of germination levels across most crops from reported levels in 2022. High numbers of seed lots harvested in 2021, particularly field pea, were reported to have below acceptable levels of germination and steady increases in germination of seed lots harvested in 2022 and 2023 have been seen. Mean germination of all crop types tested was 94.0%.

Although germination levels look quite favourable across all provincial crop districts and all crop types, **testing of individual seed lots is still recommended prior to seeding in the spring of 2024.**

Table 1. Average percent germination of Saskatchewan pulse and cereal seed samples analyzed by commercial labs as of December 28, 2023.

	Crop	Number of Samples	Mean Germination 2023 (%)
CEREALS	Barley	176	96.0
	Durum	267	93.9
	Oats	42	95.0
	Wheat	629	93.4
PULSES	Lentils	351	96.1
	Peas	277	91.0
	Chickpeas	55	92.6







GERMINATION RESULTS

Seed Germination of Barley Seed Samples




FIGURE 1. 2023 INTERIM SEED TEST RESULT FOR SEED **GERMINATION IN BARLEY.***




FIGURE 4. 2023 INTERIM SEED TEST RESULT FOR SEED **GERMINATION IN OATS.***

Seed Germination of Durum Seed Samples





FIGURE 2. 2023 INTERIM SEED TEST RESULT FOR SEED **GERMINATION IN DURUM.***



Seed Germination of Wheat Seed Samples

FIGURE 3. 2023 INTERIM SEED TEST RESULT FOR SEED **GERMINATION IN WHEAT.***



DATA SOURCE: ed Labs, D ts samples analyzed from the beginning of the 2023 eason until December 28, 2023. fics Services Ministry of Anticulture February 21 2024



GERMINATION RESULTS

Seed Germination of Lentil Seed Samples




FIGURE 5. 2023 INTERIM SEED TEST RESULT FOR SEED GERMINATION IN LENTIL.*

Seed Germination of Pea Seed Samples




FIGURE 6. 2023 INTERIM SEED TEST RESULT FOR SEED GERMINATION IN PEA.*

Seed Germination of Chickpea Seed Samples





FIGURE 7. 2023 INTERIM SEED TEST RESULT FOR SEED GERMINATION IN CHICKPEA.*




DATA SOURCE: many generated rom inferim data submitted by Prairie Diagnostic Seed Labs, Discovery Seed Labs, and 20/20 Seed Labs which represents samples analyzed from the beginning of the 20/23 harvest season until December 28, 20/23 Geomatics Services, Ministry of Agriculture February 21, 20/24



Seed testing is always recommended.

2023 PROVINCIAL SEED SURVEY



The interim results of commercial plate tests for seed-borne *Fusarium* pathogens reveal very low mean infection levels in barley, durum, oat, and wheat samples tested as of December 28, 2023. The percentages of total *Fusarium* spp. and *F. graminearum*-free samples are trending higher with lower mean infection levels across all cereal samples relative to the previous season.

- *F.graminearum* was detected on less than 13.0% of durum, oat and wheat samples, but was identified on 23.5% of barley samples; mean infection levels were 0.9% or lower for all cereal samples.
- The highest percentage of total *Fusarium* spp.-free samples were in durum (59.2%), followed by wheat (34.2%); durum and wheat had the lowest mean infection levels of total *Fusarium* spp., 1.3% and 1.8%, respectively.
- Most oat samples (82.5%) had detectable levels of total *Fusarium* spp. with a 2023 mean infection level of 3.7% which is lower than that measured in 2022 (5.9%).
- 74.1% of barley samples reported a detectable level of total *Fusarium* spp.; however, the mean infection level to date is 1.3%, which is lower than in 2022 (3.8%).











06

CEREAL PATHOGEN RESULTS

Total Fusarium

Crop	Pathogen Free Samples (%)	Mean Infection (%)	Number of Samples
Barley	25.9	2.5	174
Durum	59.2	1.3	267
Oats	17.5	3.7	40
Wheat	34.2	1.8	591


**All samples dated December 28, 2023

Fusarium graminearum

Crop	Pathogen Free Samples (%)	Mean Infection (%)	Number of Samples
Barley	76.5	0.9	170
Durum	90.6	0.5	202
Oats	95.1	0.1	41
Wheat	87.1	0.7	621

**All samples dated December 28, 2023


Despite overall low levels of Fusarium-infected cereal seed lots being reported in interim results, seed quality does vary by crop districts as detailed by maps created by the Saskatchewan Ministry of Agriculture and it is recommended that seed lots should be tested on an individual basis.



SASKBARLEY.COM

CEREAL PATHOGEN RESULTS

Total Fusarium spp. Infection of Barley Seed Samples



*Crop District Labels: Crop District (all samples tested, infected sample

FIGURE 8. 2023 INTERIM SEED TEST RESULT FOR TOTAL SEED-BORNE FUSARIUM IN BARLEY.*

Total *Fusarium* spp. Infection of Wheat Seed Samples





FIGURE 10. 2023 INTERIM SEED TEST RESULT FOR TOTAL SEED-BORNE FUSARIUM IN OAT.*

Saskatchewan

*ALL MAPS PROVIDED BY THE SASKATCHEWAN MINISTRY OF AGRICULTURE





*Crop District Labels: Crop District (all samples tested, infected samples)

FIGURE 9. 2023 INTERIM SEED TEST RESULT FOR TOTAL SEED-BORNE FUSARIUM IN DURUM.*

Total *Fusarium* spp. Infection of Oat Seed Samples




FIGURE 11. 2023 INTERIM SEED TEST RESULT FOR TOTAL SEED-BORNE FUSARIUM IN WHEAT.*




DATA SOURCE:

Map generated from interim data submitted by Prairie Diagnostic Seed Labs, Discovery Seed Labs, and 20/20 Seed Labs which represents samples analyzed from the beginning of the 20/23 harvest season until December 28, 20/23.

tics Services, Ministry of Agriculture February 21, 2024

08

2023 PROVINCIAL SEED SURVEY



The interim results of commercial plate tests for seed-borne pathogens of lentil, field pea, and chickpea samples reveal a relatively high number of pathogen-free seed samples from across the province. **Results to-date suggest a strong overall decrease in mean infection levels of seed produced during the 2023 growing season compared to results from 2022.**

- Greater than 95% of lentil samples were free of seed-borne pathogens; samples that did have detectable levels of *Ascochyta, Anthracnose,* or *Botrytis* had a mean infection level that did not exceed 0.2%.
- Seed-borne Anthracnose levels in lentils decreased in 2023 by over 12% and mean infection dropped by 1.0% from 2022 levels.
- Seed-borne *Botrytis* was detected on less than 2% of lentil and less than 1% of field pea samples.
- Seed-borne *Ascochyta* was detected on 44.8% of field pea samples but mean infection levels (1.1%) were well below critical threshold levels.
- 12.7% of chickpea samples had detectable levels of seed-borne Ascochyta in 2023, a decrease of over 25% from 2022 levels (37.8%). On average, the level of infection dropped by 1.1% from 2022 levels to 0.3% in 2023, which is the critical threshold of 0.3%.
- Seed-borne *Sclerotinia* and *Botrytis* was not detected on any chickpea samples.









PULSE PATHOGEN RESULTS

Lentils

Pathogen	Number of Samples	Pathogen-Free Samples (%)	Mean Infection ¹ (%)
Asochyta	349	95.7	0.2
Anthracnose	348	98.0	0.1
Botrytis	348	98.6	0.1
Sclerotinia	348	99.4	0.05

Field Peas

Pathogen	Number of Samples	Pathogen-Free Samples (%)	Mean Infection ¹ (%)
Asochyta	268	55.2	1.1
Botrytis	266	99.6	0.1
Sclerotinia	266	98.9	0.1

Chickpeas

Pathogen	Number of Samples	Pathogen-Free Samples (%)	Mean Infection ¹ (%)
Asochyta	55	87.3	0.3
Botrytis	55	100	0.0
Sclerotinia	55	100	0.0

¹ Mean infection level of samples with disease.


**All samples dated December 28, 2023

Distribution of submitted samples and crop districts reporting seed-borne pathogens varies across the province. Although the maps created by the Saskatchewan Ministry of Agriculture can help identify areas of lower risk of seed-borne disease, testing of individual seed lots is still recommended.

> These results are not to be used in place of seed testing.

PULSE PATHOGEN RESULTS

Anthracnose Infection of Lentil Seed Samples



*Crop District Labels: Crop District (all samples tested, infected samples)

FIGURE 12. 2023 INTERIM SEED TEST RESULT FOR SEED-BORNE ANTHRACNOSE IN LENTIL

Ascochyta Infection of Chickpea Seed Samples





FIGURE 14. 2023 INTERIM SEED TEST RESULT FOR SEED-BORNE ASCOCHYTA IN CHICKPEA.





Ascochyta Infection of Pea Seed Samples




FIGURE 13. 2023 INTERIM SEED TEST RESULT FOR SEED-BORNE ASCOCHYTA IN FIELD PEA.

Seed testing is always recommended.

Data Source: Mag generated from interim data submitted by Prairie Diagnostic Seed Labs, Discovery Seed Labs, and 20/20 Seed Labs which represents samples analyzed from the beginning of the 20/23 harvest season until December 28, 20/23. Geomatics Services. Ministry of Agriculture February 21, 20/24